





## FINISH YOUR PROJECTS ON TIME AND UNDER BUDGET.

Studio 12 is designed for multi-level flooring projects featuring a crossover color selection across multiple flooring types. On lower levels, Studio 12 GlueDown Floor helps keep your projects under budget without compromising style or durability. On upper levels, Studio 12 Floating Floor installs quickly and matches the same high-quality styles and long-lasting performance while also working to reduce the amount of sound transferred to floors below.





#### Finish Your Projects On Time And Under Budget.

Multi-level projects will never be the same. Every color in the Studio 12 line is available in GlueDown and Floating Floor formats. Studio 12 also offers an unprecedented selection of moldings and stair treads to finish every project with a refined and unified look.

## 2 Curated Designer Colors

A focused selection of premium colors and textures to ensure the perfect floor for your designer vision.



## Multi-Format Flooring

No need to compromise on style, budget or schedule. Each color is available in both GlueDown and Floating Floor formats to help you finish on time and under budget.



Provide a clean finish with the vast selection of moldings in matching colors. Transition between flooring and finish to any wall, fixture or vertical edge.



Highly abrasion-resistant coating provide shine and increases the lifespan of your floor.



Messes stay on the surface and do not penetrate or go under the floor.

Friendly



#### Build Responsibly

All products have been independently certified by SCS to comply with the volatile organic compound emissions criteria of the California Sections 01350 standard. Any product that has met these stringent standards is a product that will contribute to good IAQ.



### STUDIO 12

Floating Floor

## ENHANCED POLYURETHANE SYSTEM

Highly Stain Resistant

## 12MIL SCRATCHGUARD WEAR LAYER

Extra Wear Protection

## NATURAL WOOD TEXTURE

Ultra Realistic Look Wide Color selection



SOUND REDUCING



100% WATERPROOF

## 4MM HIGH DENSITY CORE

Engineered For Structural Stability Waterproof SPC Limestone Base

## 1MM SOUND-REDUCING UNDERLAYMENT

Surpasses STC and IIC Sound Requirements Provides Extra Comfort



HIGH TRAFFIC DURABILITY



EASY TO CLEAN

| Core           | _Stone Polymer Composite |
|----------------|--------------------------|
| Plank Size     | 7" x 48"                 |
| Thickness      | 5mm                      |
| Wear Layer     |                          |
| Edge Profile   | Beveled                  |
| Installation   | Floating                 |
| LEED Scorecard | EQ 4.3 - 1 Point         |



#### **WARRANTIES**

Residential \_\_\_\_\_\_ 20 Years Light Commercial \_\_\_\_\_ 10 Years

**GUARANTEED PHTHALATE FREE** 

### STUDIO 12

GlueDown Floor





## ENHANCED POLYURETHANE SYSTEM

Highly Stain Resistant

## 12MIL SCRATCHGUARD WEAR LAYER

Extra Wear Protection

#### **NATURAL WOOD TEXTURE**

Ultra Realistic Look Focused Color Selection

#### **2MM PURE VINYL**

Chip and Dent Resistant 100% Waterproof



100% WATERPROOF



**DURABLE** 



EASY TO CLEAN



EASY REPAIR



#### **WARRANTIES**

Residential \_\_\_\_\_\_ 20 Years Light Commercial \_\_\_\_\_ 10 Years

**GUARANTEED PHTHALATE FREE** 

| Core           | Pure Vinyl         |
|----------------|--------------------|
| Plank Size     | •                  |
| Thickness      | 2mm                |
| Wear Layer     | 12mil ScratchGuard |
| Edge Profile   | Square             |
| Installation   | GlueDown           |
| LEED Scorecard | EQ 4.3 - 1 Point   |





Bristol Harbor - 2907 Also available in GlueDown 2107







Bedford Creek - 2910 Also available in GlueDown 2110


































Hidden Acres - 2913 Also available in GlueDown 2913







#### **CUT DOWN INSTALLATION**

Installing Sound-Tec and Studio 12 is faster and easier than ever before, thanks to it's innovative Rapidlock clip system. Rapidlock







1 ANGLE

Start by engaging the plank on the long side at a 45° angle.

2 | SLIDE

Slide the plank to the left until the sides align.

3 DROP

Gently drop the plank to engage the locking system.

4 | SECURE

To secure the locking system and make flush, gently tap

Check out UrbanSurfaces.com for the full guide on Rapidlock.


#### **BEAUTY IN THE DETAILS**

Easily transition the flooring to a variety of different settings.


The different molding options deliver several variations, when fitting the floor to any room, and any situation. Pick the best molding for your desired look.

Easily transition the flooring in a variety of different settings.

**CABINETS** 



WALLS







CARPET



**BATHTUBS** 



**SLIDERS** 

**STAIRS** 

#### **AVAILABLE MOLDING & TRANSITIONS OPTIONS**

Moldings available for all Floating Floor colors. For the most up to date information on moldings specifications check out: urbansurfaces.com



### SQUARE EDGE STAIR TREAD & SQUARE EDGE STAIR NOSE

Material PVC

Dimensions 11-6/8" wide x 1/2" Tall

Length 52" Long

## OUARTER ROUND

Material Waterproof WPC
Dimensions 3/4" wide x 3/4" Tall

Length 96" Long



#### **METAL STAIR NOSE**

Material Aluminum

Dimensions 9/32" wide x 9/32" Tall

Length 96" Long



#### **SLT MOLDING**

Material PVC

Dimensions 2" wide x 1/4" Tall

Length 94" Long



#### **STAIRNOSE**

Material PVC

Dimensions 2" wide x 1" Tall

Length 94" Long



#### REDUCER

Material PVC

Dimensions 1-3/8" wide x 1/2" Tall

Length 94" Long



#### **T-MOLDING**

Material PVC

Dimensions 1-1/2" wide x 1/8" Tall

Length 94" Long



#### LOW PROFILE END CAP

Material PVC

Dimensions 1" wide x 1/2" Tall

Length 94" Long



#### **END CAP**

Material PVC

Dimensions 1-3/8" wide x 1/2" Tall


Length 94" Long

## CREATE INSPIRING SPACES.


Add personality and style by combining different colors or mix installation pattern types.




GlueDown flooring can be installed in many different variations and combinations. When designing your project, add personality and style by combining different colors or mix installation pattern types. Your floor is what you make it with Urban Surfaces' Luxury Vinyl Plank.



**Random Pattern** 




45° Random



**Subway Pattern** 



Single Herringbone



Square Herringbone



**Double Herringbone** 



### **GREAT FLOORS NEED** GREAT ADHESIVE.

Antimicrobial technology, Plasticizer migration resistance, Color ready technology in every bucket.



### Urban-3020

Coverage: 150-350 Sqft/gal Available in 1 & 4 Gal Shelf life 2 years

#### Hard-Set, Transitional Pressure Sensitive Adhesive.

- Aggressive tack, fast grab
- High moisture tolerance
- · Permanent, waterproof bond
- Ideal for heavy rolling loads
- Immediate access for light traffic
- Installs multiple floor types
- · Low VOC, Extremely low odor













Flash time 30-60 MIN

3 HRS

**12 HRS** 

Heavy Traffic Rolling Loads

**24 HRS** 

**48 HRS** 

RH 99%

PH 5-12

MVFR 12lbs

#### Firm-Set, Modified Transitional Pressure Sensitive Adhesive.

- · Aggressive tack, fast grab
- · High moisture tolerance
- · High-strength, water resistant bond
- Flastomeric bond

- Immediate access for light traffic
- Installs multiple floor types
- · Low VOC, Extremely low odor







Working time

Cure time

Heavy Traffic Rolling Loads

**Urban-3010** Coverage: 90-350 Sqft/gal Available in 1 & 4 Gal Shelf life 2 years

Flash time 30-60 MIN

**12 HRS** 

**12 HRS** 

**24 HRS** 

**48 HRS** 

## CREATE INSPIRING SPACES.

#### Why hard surface flooring?

Hard surface floors are easy to clean and maintain because they provide a one-dimensional surface that doesn't absorb odors, spills, dust, or soil. They also don't retain moisture, which can lead to microorganisms such as dust mites and mold.

#### What are you breathing?

Research by the RFCI shows that on average a person will spend 90% of their life indoors. Whether it be in your working environment, your home, or sitting in a movie theater, you will spend a majority of your time inside. When this is realized, you may want to know how healthy the air quality is, and rightly so. A recent study done by the Environmental Protection Agency (EPA) found that indoor air was deemed two to five times more harmful than outdoor air. This is due to many harmful pollutants including radon, mold, and carbon dioxide found indoors. Healthy air contributes to better learning in schools, improved productivity in offices, and more comfortable homes. Poor indoor air quality (IAQ) can be a factor in a variety of health problems, such as headaches, dizziness, and more serious long-term effects.









## BUILD RESPONSIBLY.

#### Why FloorScore?

When it comes to indoor air quality, a primary concern is the emission level of specific volatile organic compounds (VOCs). FloorScore® IAQ Certification means that a flooring product is independently certified by SCS Global Services to comply with the volatile organic compound emissions criteria of the California Section 01350 Program. Hundreds of resilient flooring materials and their adhesives bear the FloorScore® seal. This seal tells you that the products have been independently certified by SCS to comply with the volatile organic compound emissions criteria of the California Section 01350 standard. Any product that has met these stringent standards is a product that will contribute to good IAQ.

#### FloorScore Requirements?

To earn the FloorScore® seal, a flooring product must satisfy the requirements of the SCS-EC-10.2-2007 Environmental Certification Program – Indoor Air Quality Performance.

#### Which Includes:

- Testing demonstrating compliance with emission concentrations for listed VOCs under California Section 01350
- Manufacturing facility on-site audits and yearly surveillance audits
- · Annual product re-testing
- · Product record keeping
- A documented quality control plan







# Finish Your Projects On Time And Under Budget.

JS2207

U R B A N S U R F A C E S 800.492.8722 Sales@urbansurfaces.com Designed and Developed in California

